

Ordinance No. 43547

Relating to and providing for the acquisition, by condemnation or purchase, of a right of way for a transmission line to be situated in the County of Snohomish, in the State of Washington, as an addition to the existing municipal light and power plant and system

Council Bill No. 33118

INTRODUCED: MAY 15 1922	BY: FITZGERALD
REFERRED: MAY 15 1922	TO: CITY UTILITIES
REFERRED:	FINANCE
REPORTED: MAY 22 1922	VETO:
SECOND READING: MAY 22 1922	PUBLISHED:
THIRD READING: MAY 22 1922	VETO SUSTAINED:
SIGNED: MAY 22 1922	PASSED OVER VETO:
PRESENTED TO MAYOR: MAY 22 1922	APPROVED: MAY 29 1922
FILED: MAY 29 1922	PUBLISHED: JUN 3 1922
ENDORSED: VOL. 71 PAGE 503	BY: JUN 5 1922 L.A.B.
COMPALED BY:	

645017 - dismissed suit over certain property

61325 - acquisition of right for towers of any kind

AMENDED

IN SECTION 7 BY

ORDINANCE No. 44097

ORDINANCE NO. 48547

AN ORDINANCE relating to, and providing for, the acquisition, by condemnation or purchase, of a right of way for a transmission line to be situated in the County of Snohomish, in the State of Washington, as an addition to the existing municipal light and power plant and system of The City of Seattle, providing for the taking and damaging of land and other property and property rights and privileges necessary for said transmission line to be constructed for the purpose of furnishing The City of Seattle and the inhabitants thereof, and any other persons, with electric energy for lighting and other public uses, to be generated by the hydro-electric power plant of The City of Seattle, located on the Skagit River, in Whatcom County, Washington, and providing for the ascertainment and payment of just compensation to be made therefor.

WHEREAS, The City of Seattle owns and controls a plant or system for furnishing electric energy for light or power, or both; and,

WHEREAS, certain additions and extensions were authorized and made to said plant or system under authority of Ordinance No. 36952, as amended by Ordinance No. 38045 and Ordinance No. 38459; and,

WHEREAS, public necessity demands that the property, property rights and privileges herein specified be condemned, taken and damaged for such purposes; Now, Therefore,

Be it ordained by The City of Seattle as follows:

Section 1. That the lands, property, property rights and privileges described in this section, lying and being in the County of Snohomish, State of Washington; be, and the same are hereby, condemned, appropriated, taken and damages for a public use, to-wit: as a necessary right of way for a transmission line for the conveyance of electric energy from the hydro-electric power plant described in, and authorized by, Ordinance No. 36952, of

the City of Seattle, as amended by Ordinances Numbers 38065 and 38469, and located on and in Section 21, Township 37 North, Range 12 East, W. M., through the lands in Snohomish County hereinafter described, the taking and damaging of said property being necessary for the purpose of furnishing the City of Seattle and the inhabitants thereof, and any other persons, with said electric energy for light and other public uses, said lands and property being more particularly described as follows, to-wit:

A strip of land 300 feet in width over and across Section 6, Township 32 North, Range 10 East, W. M.; Sections 1, 12, 11, 10, 9, 8 and 7, Township 32 North, Range 9 East, W. M.; Sections 12, 11, 10, 9, 8 and 7, Township 32 North, Range 8 East W. M.; Sections 12, 11, 10, 14, 15, 16, 17, 20, 19 and 30, Township 32 North, Range 7 East W. M.; Sections 25, 26 and 36, Township 32 North, Range 6 East, W. M.; Sections 2, 5, 10, 9, 16, 17, 20, 19, 30 and 31, Township 31 North, Range 6 East W. M.; Sections 6, 7 and 18, Township 30 North, Range 6 East W. M.; Sections 12, 15, 24, 25 and 36, Township 30 North, Range 6 East W. M.; Sections 1, 12, 13, 24, 25 and 36, Township 29 North, Range 5 East, W. M.; Sections 1, 12, 13, 14, 23, 26, 27, 34 and 33, Township 28 North, Range 5 East, W. M.; Sections 4, 5, 8, 17 and a portion of Section 18, Township 27 North, Range 5 East, W. M.; said 300-foot strip of land being 112.5 feet in width on the Northerly and Westerly side and 187.5 feet in width on the Southerly and Easterly side of the center line of The City of Seattle's Transmission Line survey, said center line of Transmission survey is more particularly described as follows, to-wit:

Beginning at Engineer's Survey Station 116 + 10.5, a point on the South line of Section 31, Township 33 North, Range 10 East, W. M., which point also lies on the North boundary line of Snohomish County and bears West, as measured along the Section line, 3226.4 feet from the Southeast corner of said Section 31 in said Township 33 North, Range 10 East, W. M.; thence running South 22°-2' West a distance of 2615.3 feet to Engineer's Survey Station 97+95.2; thence

South 46°22' West a distance of 1565.84 feet to Engineer's Survey Station 72+29.36, a point on the West line of Section 6, Township 32 North, Range 10 East, W. M.; and from which point the Section corner common to Sections 1 and 12, Township 32 North, Range 9 East, W. M., and Sections 6 and 7, Township 32 North, Range 10 East, W. M., bears South, as measured along the Section line, a distance of 1158.13 feet; thence continued South 46°22' West a distance of 1678.36 feet to Engineer's Survey Station 55+51.0, a point on the South line of Section 1, Township 32 North, Range 9 East, W. M., and from which point the Section corner common to Sections 1 and 12, Township 32 North, Range 9 East, W. M., and Sections 6 and 7, Township 32 North, Range 10 East, W. M., bears East, as measured along the section line, a distance of 1212.74 feet; thence continued South 46°22' West a distance of 5551.0 feet to Engineer's Survey Station 0+00; thence South 89°43' West a distance of 142.16 feet to Engineer's Survey Station 1+42.16, a point on the West line of Section 12, Township 32 North, Range 9 East, W. M., and from which point the Section corner common to Sections 11, 12, 13 and 14, Township 32 North, Range 9 East, W. M., bears South, as measured along the Section line, a distance of 1567.14 feet; thence continued South 89°34' West a distance of 5207.84 feet to Engineer's Survey Station 54+50, a point on the West line of Section 11, Township 32 North, Range 9 East, W. M., and from which point the Section corner common to Sections 10, 11, 14 and 15, Township 32 North, Range 9 East, W. M., bears South, as measured along the Section line, a distance of 1621.00 feet more or less; thence continuing South 89°34' West a distance of 4024.2 feet to Engineer's Survey Station 94+74.2; thence South 53°54' West a distance of 150.1 feet to Engineer's Survey Station 96+24.3; thence South 88°26' West, a distance of 823.1 feet to Engineer's Survey Station 104+47.4, a point on the West line of Section 10, Township 32 North, Range 9 East, W. M., and from which point the Section corner common to Section 9, 10, 15 and 16 of said Township 32 North, Range 9 East, W. M. bears South, as measured along the Section line, a distance of 1578.32 feet; thence continuing South 88°26' West a distance of 5520.6 feet to Engineer's Survey Station 159+68, a point on the West line of Section 9, Township 32 North, Range 9 East, W. M., and from which point the one-quarter corner common to Sections 8 and 9 bears North, as measured along the Section line, a distance of 1080 feet; thence continued South 88°26' West a distance of 5280.25 feet to Engineer's Survey Station 212+48.25, a point on the West line of Section 8, Township 32 North, Range 9 East, W. M., and from which point the Section corner common to Sections 7, 8, 17 and 18, Township 32 North, Range 9 East W. M. bears South, as measured along the section line, a distance of 1508.54 feet; thence continued South 88°26' West, a distance of 4745.26 feet to Engineer's Survey Station 259+91.51, a point on the West line of Section 7, Township 32 North, Range 9 East, W. M., and from which point the Southwest corner of said Section 7 bears South, as

measured along the Section line, a distance of 1647.58 feet; thence continued South 88°26' West a distance of 5362.70 feet to Engineer's Survey Station 313+54.21, a point on the West line of Section 12, Township 32 North, Range 8 East, W. M., and from which point the Section corner common to Sections 11, 12, 13 and 14 bears South, as measured along the Section line, a distance of 1593.25 feet; thence continued South 88°26' West a distance of 2432.79 feet to Engineer's Survey Station 337+87; thence North 85°18' West a distance of 2863.0 feet to Engineer's Survey Station 366+60, a point on the West line of Section 11, Township 32 North, Range 8 East, W. M., and from which point the one-quarter section corner common to Sections 10 and 11, Township 32 North, Range 8 East, W. M. bears North, as measured along the section line, a distance of 760.0 feet more or less; thence continued North 85°18' West a distance of 5287.0 feet to Engineer's Survey Station 419+37, a point on the West line of Section 10, Township 32 North, Range 8 East, W. M., and from which point the one-quarter section corner common to Sections 9 and 10, Township 32 North, Range 8 East, W. M., bears North, as measured along the Section Line, a distance of 302.00 feet; thence continued North 85°18' West a distance of 4257.0 feet to Engineer's Survey Station 461+94; thence North 89°28' West a distance of 977.0 feet to Engineer's Survey Station 471+71, a point on the West line of Section 9, Township 32 North, Range 8 East, W. M. and from which point the one-quarter section corner common to Sections 8 and 9, Township 32 North, Range 8 East, W. M. bears South, as measured along the Section line, a distance of 95 feet; thence continued North 89°28' West a distance of 5404.0 feet to Engineer's Survey Station 525+75, a point on the West line of Section 8, Township 32 North, Range 8 East, W. M., and from which point the one-quarter section corner common to Section 7 and 8, Township 32 North, Range 8 East, W. M. bears South, as measured along the Section line, a distance of 217 feet; thence continued North 89°28' West a distance of 269.0 feet to Engineer's Survey Station 528+44; thence South 78°21' West, a distance of 4756.7 feet to Engineer's Survey Station 576+00.7, a point on the West line of Section 7, Township 32 North, Range 8 East, W. M., and from which point the West one-quarter Section corner of said Section 7 bears North, as measured along the section line, a distance of 613.5 feet; thence continued South 78°21' West a distance of 5182.8 feet to Engineer's Survey Station 627+83 which equals Engineer's Survey Station 629+42; thence South 80°24' West, a distance of 337.42 feet to Engineer's Survey Station 632+79.42, a point on the West line of Section 12, Township 32 North, Range 7 East, W. M., and from which point the one-quarter section corner common to Sections 11 and 12, Township 32 North, Range 7 East, W. M., bears North, as measured along the section line, a distance of 1669.7 feet; thence continued South 80°24' West a distance of 5391.54

feet to Engineer's Survey Station 686+71.06, a point on the West line of Section 11, Township 32 North, Range 7 East, W. M., and from which point the Section corner common to Sections 10, 11, 14 and 15, Township 32 North, Range 7 East, W. M. bears South, as measured along the section line, a distance of 122.44 feet; thence continued South 80°24' West a distance of 873.94 feet to Engineer's Survey Station 695+45, a point on the South line of Section 10, Township 32 North, Range 7 East, W. M., and from which point the Section corner common to Sections 10, 11, 14 and 15, Township 32 North, Range 7 East, W. M. bears East, as measured along the section line, a distance of 859.44 feet; thence continued South 80°24' West a distance of 4434.65 feet to Engineer's Survey Station 739+79.65, a point on the West line of Section 15, Township 32 North, Range 7 East, W. M., and from which point the section corner common to Sections 9, 10, 15 and 16, Township 32 North, Range 7 East, W. M. bears North, as measured along the section line, a distance of 643.15 feet; thence continued South 80°24' West a distance of 620.35 feet to Engineer's Survey Station 746+00; thence South 68°0' West a distance of 3622.5 feet to Engineer's Survey Station 782+22.5; thence South 54°38' West a distance of 600.0 feet to Engineer's Survey Station 788+22.5 which equals Engineer Survey Station 788+39.3; thence South 41°16' West a distance of 1351.4 feet to Engineer's Survey Station 801+90.7, a point on the West line of Section 16, Township 32 North, Range 7 East, W. M., and from which point the section corner common to Sections 16, 17, 20 and 21, Township 32 North, Range 7 East, W. M. bears south, as measured along the section line, a distance of 1921.11 feet; thence continuing South 41°16' West a distance of 2544.8 feet to Engineer's Survey Station 827+34.7, a point on the South line of Section 17, Township 32 North, Range 7 East, W. M., and from which point the Section corner common to Sections 16, 17, 20 and 21, Township 32 North, Range 7 East, W. M. bears East, as measured along the section line, a distance of 1669.90 feet; thence continued South 41°16' West a distance of 5342.36 feet to Engineer's Survey Station 880+77.06, a point on the West line of Section 20, Township 32 North, Range 7 East, W. M., and from which point the section corner common to Sections 19, 20, 29 and 30, bears South, as measured along the section line, a distance of 1399.82 feet; thence continued South 41°16' West a distance of 1869.30 feet to Engineer's Survey Station 899+46.36, a point on the south line of Section 19, Township 32 North, Range 7 East, W. M., and from which point the section corner common to Sections 19, 20, 29 and 30, Township 32 North, Range 7 East, W. M. bears East, as measured along the section line, a distance of 1258.8 feet; thence continued South 41°16' West, a distance of 5668.65 feet to Engineer's Survey Station 956+15.01, a point on the west line of Section 30, Township 32 North, Range 7 East, W. M., and from which point the

Southwest corner of said Section 30, Township 32 North, Range 7 East, W. M. bears South, as measured along the section line, a distance of 1101.02 feet; thence continued South 41°16' West a distance of 1461.17 feet to Engineer's Survey Station 970+76.18, a point on the South line of Section 25, Township 32 North, Range 6 East, W. M., and from which point the section corner common to Sections 25 and 36 in Township 32 North, Range 6 East, W. M., and Sections 30 and 31 in Township 32 North, Range 7 East, W. M. bears East a distance of 954.32 feet; thence continued South 41°16' West a distance of 1871.82 feet to Engineer's Survey Station 989+48; thence South 44°10'47" West, a distance of 4239.6 feet to Engineer's Survey Station 1031+87.5, a point on the West line of Section 36, Township 32 North, Range 6 East, W. M., and from which point the Southwest corner of said Section 36, Township 32 North, Range 6 East, W. M., bears South, as measured along the section line, a distance of 1167.6 feet; thence continued south 44°10'47" West a distance of 1721.8 feet to Engineer's Survey Station 1049+09.3, a point on the south line of Section 35, Township 32 North, Range 6 East, W. M., and from which point the Southeast corner of said Section 35, Township 32 North, Range 6 East, W. M., bears East, as measured along the section line, a distance of 1235.5 feet; thence, continued South 44°10'47" West a distance of 5777.2 feet to Engineer's Survey Station 1106+85.5, a point on the West line of Section 2, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 2, 3, 10 and 11, Township 31 North, Range 6 East, W. M., bears South, as measured along the section line, a distance of 1333.7 feet; thence continued South 44°10'47" West a distance of 1898.4 feet to Engineer's Survey Station 1125+84.9, a point on the south line of Section 3, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 2, 3, 10 and 11 of said Township 31 North, Range 6 East, W. M., bears east, as measured along the section line, a distance of 1333.8 feet; thence continued South 44°10'47" West a distance of 5056.78 feet to Engineer's Survey Station 1186+51.68 a point on the west line of Section 10, Township 31 North, Range 6 East, W. M., from which point the section corner common to Sections 9, 10, 15 and 16, Township 31 North, Range 6 East, W. M., bears South, as measured along the section line, a distance of 1031.4 feet; thence continued South 44°10'47" West a distance of 553.72 feet to Engineer's Survey Station 1192+05.4 which equals Engineer's Survey Station 1332+66.4; thence continued South 44°10'47" West a distance of 877.4 feet to Engineer's Survey Station 1341+43.8, a point on the South line of Section 9, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 9, 10, 15 and 16, Township 31 North, Range 6 East, W. M., bears east, as measured along the section line, a distance of 1009.7 feet; thence continued South 44°10'47" West a distance of 6164.05 feet to Engineer's Survey Station 1403+07.85, a point on the West line of Section 16, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 16, 17, 20 and 21, Township 31 North, Range 6 East,

W. M., bears South, as measured along the section line, a distance of 806.51 feet; thence continued South 44°10'47" West a distance of 1126.27 feet to Engineer's Survey Station 1414+34.12, a point on the south line of Section 17, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 16, 17, 20 and 21, Township 31 North, Range 6 East, W. M., bears East, as measured along the section line, a distance of 803.0 feet; thence continued South 44°10'47" West, a distance of 6268.38 feet to Engineer's Survey Station 1477+02.5, a point on the west line of Section 20, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 19, 20, 29 and 30, Township 31 North, Range 6 East, W. M., bears South, as measured along the section line, a distance of 821.0 feet; thence continued South 44°10'47" West a distance of 1194.2 feet to Engineer's Survey Station 1488+96.7, a point on the south line of Section 19, Township 31 North, Range 6 East, W. M., and from which point the section corner common to Sections 19, 20, 29 and 30, Township 31 North, Range 6 East, W. M., bears East, as measured along the section line, a distance of 852.7 feet; thence continued South 44°10'47" West a distance of 87.9 feet to Engineer's Survey Station 1489+84.6; thence South 11°50' West a distance of 5254.4 feet to Engineer's Survey Station 1542+39, a point on the south line of said Section 30 and from which point the corner common to Sections 29, 30, 31 and 32, Township 31 North, Range 6 East, W. M., bears east, as measured along the section line, a distance of 1751 feet more or less; thence continuing South 11°50' West a distance of 5227.94 feet to Engineer's Survey Station 1594+66.94, a point on the south line of Section 31, Township 31 North, Range 6 East, W. M., and from which point the south one-quarter section corner of said Section 31 bears east, as measured along the section line, a distance of 222.95 feet; thence continuing South 11°50' West a distance of 5739.37 feet to Engineer's Survey Station 1652+06.31, a point on the south line of Section 6, Township 30 North, Range 6 East, W. M., and from which point the southwest corner of Section 6, Township 30 North, Range 6 East, W. M., bears west, as measured along the section line, a distance of 1077.46 feet; thence continuing South 11°50' West a distance of 4918.24 feet to Engineer's Survey Station 1701+24.55, a point on the west line of Section 7, Township 30 North, Range 6 East, W. M., and from which point the southwest corner of said Section 7 bears south, as measured along the section line, a distance of 470.28 feet; thence continuing South 11°50' West a distance of 487.10 feet to Engineer's Survey Station 1706+11.65, a point on the south line of Section 12, Township 30 North, Range 5 East, W. M., and from which point the southeast corner of said Section 12 bears east, as measured along the section line, a distance of 106.79 feet; thence continuing South 11°50' West a distance of 5429.85 feet to Engineer's Survey Station 1760+41.5, a point on the south line of Section 13, Township 30 North, Range 5 East, W. M., and from which point the southeast corner of said Section 13 bears east, as measured along the section line, a distance

of 1310.0 feet more or less; thence continuing South 11°50' West a distance of 3158.5 feet to Engineer's Survey Station 1792+00; thence South 2°4' West a distance of 2209.0 feet to Engineer's Survey Station 1814+09, a point on the south line of Section 24, Township 30 North, Range 5 East, W. M., and from which point the one-quarter section corner common to Sections 24 and 25, Township 30 North, Range 5 East, W. M., bears west, as measured along the section line, a distance of 490.0 feet more or less; thence continuing South 2°4' West a distance of 5356.64 feet to Engineer's Survey Station 1867+75.64, a point on the south line of Section 25, Township 30 North, Range 5 East, W. M., and from which point the one-quarter section corner common to Sections 25 and 36, Township 30 North, Range 5 East, W. M., bears west, as measured along the section line, a distance of 192.44 feet; thence continuing South 2°4' West a distance of 5221.40 feet to Engineer's Survey Station 1919+27.04, a point on the south line of Section 36, Township 30 North, Range 5 East, W. M., and from which point the south one-quarter section corner of said Section 36 bears east, as measured along the section line, a distance of 74.77 feet; thence continuing South 2°4' West a distance of 5212.12 feet to Engineer's Survey Station 1972+09.16, a point on the south line of Section 1, Township 29 North, Range 5 East, W. M., and from which point the one-quarter section corner common to Sections 1 and 12, Township 29 North, Range 5 East, W. M., bears east, as measured along the section line, a distance of 437.17 feet; thence continuing South 2°4' West a distance of 5303.52 feet to Engineer's Survey Station 2025+12.68, a point on the south line of Section 12, Township 29 North, Range 5 East, W. M., and from which point the one-quarter section corner common to Sections 12 and 13, Township 29 North, Range 5 East, W. M., bears east, as measured along the section line, a distance of 789.53 feet; thence continuing South 2°4' West a distance of 5260.32 feet to Engineer's Survey Station 2077+73, a point on the south line of Section 13, Township 29 North, Range 5 East, W. M., and from which point the one-quarter section corner common to Sections 13 and 24, Township 29 North, Range 5 East, W. M., bears east, as measured along the section line, a distance of 1011.0 feet more or less; thence continuing South 2°4' West a distance of 5319.96 feet to Engineer's Survey Station 2130+92.96, a point on the south line of Section 24, Township 29 North, Range 5 East, W. M., and from which point the section corner common to Sections 23, 24, 25 and 26, Township 29 North, Range 5 East, W. M., bears west, as measured along the section line, a distance of 1404.72 feet; thence continuing south 2°4' West a distance of 5262.04 feet to Engineer's Survey Station 2183+55, a point on the south line of Section 25, Township 29 North, Range 5 East, W. M., and from which point the section corner common to Sections 25, 26, 35 and 36, Township 29 North, Range 5 East, W. M., bears west, as measured along the section line, a distance of 1197 feet more or less; thence continuing South 2°4' West for a distance of 5261.54 feet to Engineer's Survey Station 2236+16.54, a point on the

south line of Section 36, Township 29 North, Range 5 East, W.M., and from which point the southwest corner of said Section 36 bears west, as measured along the section line, a distance of 990.34 feet; thence continuing South $2^{\circ}4'$ West for a distance of 293.46 feet to Engineer's Survey Station 2239+10; thence South $6^{\circ}54'$ West for a distance of 4562.0 feet to Engineer's Survey Station 2284+72; thence South $0^{\circ}7'$ East a distance of 454.94 feet to Engineer's Survey Station 2289+26.94, a point on the south line of Section 1, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 1, 2, 11 and 12, Township 28 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 328.25 feet; thence South $0^{\circ}7'$ East a distance of 5283.21 feet to Engineer's Survey Station 2342+10.15, a point on the south line of Section 12, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 11, 12, 13 and 14, Township 28 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 256.63 feet; thence continuing South $0^{\circ}7'$ East a distance of 518.85 feet to Engineer's Survey Station 2347+29; thence South $30^{\circ}20'30''$ West a distance of 5559.82 feet to Engineer's Survey Station 2402+88.82, a point on the south line of Section 14, Township 28 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 14 and 23 of said Township 28 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 10.11 feet; thence continued South $30^{\circ}20'30''$ West a distance of 5076.18 feet to Engineer's Survey Station 2453+65, a point on the West line of Section 23, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 22, 23, 26 and 27, Township 28 North, Range 5 East, W.M., bears south, as measured along the section line, a distance of 744 feet more or less; thence continued South $30^{\circ}20'30''$ West a distance of 685.0 feet to Engineer's Survey Station 2462+50, a point on the north line of Section 27, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 22, 23, 26 and 27 of said Township 28 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 457.0 feet more or less; thence continued South $30^{\circ}20'30''$ West a distance of 6155.57 feet to Engineer's Survey Station 2524+05.57, a point on the south line of Section 27, Township 28 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 27 and 34 in said Township 28 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 923.14 feet; thence continued South $30^{\circ}20'30''$ West a distance of 3329.40 feet to Engineer's Survey Station 2557+35, a point on the west line of Section 34, Township 28 North, Range 5 East, W.M., and from which point the west one-quarter section corner of Section 34, Township 28 North, Range 5 East, W.M., bears North, as measured along the section line, 510.0 feet more or less; thence continued South $30^{\circ}20'30''$ West a distance of 1249.2 feet to Engineer's Survey Station 2569+84.2, which equals Engineer's Survey Station 2571+00.6,

thence South 36°45' West a distance of 1626.7 feet to Engineer Survey Station 2567+27.30, a point on the south line of Section 33, Township 28 North, Range 5 East, W. M., and from which point the south one-quarter section corner of said Section 33 bears west, as measured along the section line, a distance of 1015.22 feet; thence continuing South 36°45' West a distance of 6036.88 feet to Engineer's Survey Station 2647+54.18, a point on the west line of Section 4, Township 27 North, Range 5 East, W. M., and from which point the section corner common to Sections 4, 5, 8 and 9, Township 27 North, Range 5 East, W. M., bears south, as measured along the section line, a distance of 476.02 feet; thence continuing South 36°45' West a distance of 592.29 feet to Engineer's Survey Station 2653+56.47, a point on the north line of Section 8, Township 27 North, Range 5 East, W. M., and from which point the section corner common to Sections 4, 5, 8 and 9, Township 27 North, Range 5 East, W. M., bears East, as measured along the section line, a distance of 354.39 feet; thence continuing South 36°45' West, a distance of 6604.53 feet to Engineer's Survey Station 2719+61, a point on the south line of Section 8, Township 27 North, Range 5 East, W. M., and from which point the section corner common to Sections 7, 8, 17 and 18, Township 27 North, Range 5 East, W. M., bears west, as measured along the section line, a distance of 990.0 feet more or less; thence continuing South 36°45' West for a distance of 1699.0 feet to Engineer's Survey Station 2735+6C, a point on the west line of Section 17, Township 27 North, Range 5 East, W. M., and from which point the section corner common to Sections 7, 8, 17 and 18, Township 27 North, Range 5 East, W. M., bears north, as measured along the section line, a distance of 1290.0 feet more or less; thence continuing South 36°45' West for a distance of 401.0 feet to Engineer's Survey Station 2739+61.0, which point equals Engineer's Survey Station 2739+53.0, a point in the Southeast one-quarter of the Northeast one-quarter, Section 18, Township 27 North, Range 5 East, W. M., and from which point the section corner common to Sections 7, 8, 17 and 18 bears North 8°17' East a distance of 1619.0 feet more or less.

A strip of land 150 feet in width over and across Sections 18 and 19, Township 27 North, Range 5 East, W. M.; Sections 24, 25, 26, 27, 34 and 35, Township 27 North, Range 4 East, W. M., said 150-foot strip of land being 75 feet in width on each side of the center line of The City of Seattle's Transmission Line Survey, which center line of Survey is more particularly described as follows, to-wit:

Beginning at Engineer's Survey Station 2739+53.0, a point in the southeast one-quarter of the northeast one-quarter of Section 18, Township 27 North, Range 5 East, W. M., and from which point the section corner common to Sections 7, 8, 17 and 18 bears North 8°17' East a distance of 1619.0 feet more or less; thence South 44°6'30"

West a distance of 4267.6 feet to Engineer's Survey Station 2782+20.6; thence South 48°32'30" West a distance of 942.24 feet to Engineer's Survey Station 2791+62.84, a point on the south line of Section 18, Township 27 North, Range 5 East, W. M., and from which point the one-quarter section corner common to Sections 18 and 19, Township 27 North, Range 5 East, W. M., bears east, as measured along the section line, a distance of 1582.53 feet; thence continuing South 48°32'30" West a distance of 1387.48 feet to Engineer's Survey Station 2805+50.32, a point on the west line of Section 19, Township 27 North, Range 5 East, W. M., and from which point the northwest corner of said Section 19 bears north, as measured along the section line, a distance of 880.49 feet; thence continuing South 48°32'30" West for a distance of 6603.97 feet to Engineer's Survey Station 2871+54.29, a point on the south line of Section 24, Township 27 North, Range 4 East, W. M., and from which point the section corner common to Sections 23, 24, 25 and 26, Township 27 North, Range 4 East, W. M., bears west, as measured along the section line, a distance of 341.95 feet; thence continuing South 48°32'30" West a distance of 449.31 feet to Engineer's Survey Station 2876+03.6, a point on the west line of Section 25, Township 27 North, Range 4 East, W. M., and from which point the section corner common to Sections 23, 24, 25 and 26, Township 27 North, Range 4 East, W. M., bears north, as measured along the section line, a distance of 300.7 feet; thence continuing South 48°32'30" West a distance of 6939.07 feet to Engineer's Survey Station 2945+42.67, a point on the west line of Section 26, Township 27 North, Range 4 East, W. M., and from which point the section corner common to Sections 26, 27, 34 and 35, Township 27 North, Range 4 East, W. M., bears south, as measured along the section line, a distance of 291.01 feet; thence continuing South 48°32'30" West a distance of 465.4 feet to Engineer's Survey Station 2950+08.07, a point on the north line of Section 34, Township 27 North, Range 4 East, W. M., and from which point the section corner common to Sections 26, 27, 34 and 35, Township 27 North, Range 4 East, W. M., bears east, as measured along the section line, a distance of 354.68 feet; thence continuing South 48°32'30" West for a distance of 6530.18 feet to Engineer's Survey Station 3015+38.25, a point on the west line of Section 34, Township 27 North, Range 4 East, W. M., and from which point the southwest corner of said Section 34 bears South, as measured along the section line, a distance of 1078.68 feet; thence continuing South 48°32'30" West a distance of 1627.15 feet to Engineer's Survey Station 3031+65.4, a point on the south line of Section 33, Township 27 North, Range 4 East, W. M., which point also lies on the south boundary of Snohomish County and from which point the southeast corner of Section 33, Township 27 North, Range 4 East, W. M., bears east, as measured along the section line, a distance of 1232.9 feet.

Section 2. That the Corporation Counsel be, and he is hereby, authorized and directed to initiate and prosecute the actions and proceedings, in the manner required by law, to purchase, condemn, take, damage and appropriate the lands and other property, property rights and privileges necessary to carry out the provisions of this ordinance.

Section 3. That, in conducting said condemnation proceedings, and for the purpose of minimizing damages, the Corporation Counsel be, and he is hereby, authorized to reserve to any owner the right to use the property hereby authorized to be condemned and appropriated, subject to the right of the City of Seattle to construct said transmission line thereon, together with the right of access and ingress thereto and egress therefrom, for the purpose of operating, maintaining and repairing the same: Provided, however, that no such reservation shall be made which will interfere with the use of said property by the City of Seattle.

Section 4. That the entire cost of the improvement herein provided for shall be paid from Skagit River Bond 1918 Construction Fund, created by Ordinance No. 39118, approved January 29th, 1919.

(To be used for all Ordinances except Emergency.)

Section 5. This ordinance shall take effect and be in force thirty days from and after its passage and approval, if approved by the Mayor; otherwise it shall take effect at the time it shall become a law under the provisions of the city charter.

Passed the City Council the 22 day of MAY 1922 and signed by me in open session in authentication of its passage this 22 day of

MAY 1922 *Robt B. Hesketh*

President of the City Council.

Approved by me this 29 day of MAY 1922

Robt B. Hesketh
Acting Mayor.

Filed by me this 29 day of MAY 1922

Attest: *D. M. Carrall*
City Comptroller and Ex-Officio City Clerk.

[SEAL]

By *W. H. Stark*
Deputy Clerk.

Published JUN 3 1922
JUN 5 1922

By *D. M. Carrall*
City Comptroller and Ex-Officio City Clerk.

By *W. H. Stark*
Deputy Clerk.

ASSISTANT CORPORATION COUNSEL

THOMAS J. L. KENNEDY
FRANK S. SHIFFRIN
EDWIN E. EDWARDS
EDWIN S. COLVIN
WELBORN T. DONWORTH
CHARLES T. DONWORTH
FRANK M. PRESTON

CITY ATTORNEY
GEO. A. HEADNER

THE CITY OF SEATTLE
LAW DEPARTMENT

WALTER F. MEIER, CORPORATION COUNSEL

CHIEF CLERK
R. B. MCCLINTON

LAW CLERKS
H. R. FULLERTON
W. D. EDVINGTON
J. A. NEWTON
A. C. VAN SOLEEN

CLAIM AGENT
J. R. DENNIS

May 15th, 1922.

Mr. C. B. Fitzgerald,
Chairman, Finance Committee,
City Council, S e a t t l e.

Dear Sir:

In accordance with your request, we have prepared and herewith transmit an ordinance providing for the condemnation of a right of way for the Skagit River transmission system through Snohomish County. The description used was furnished by the City Engineer.

We are also transmitting a similar ordinance covering the portion of said right of way through King County, and will prepare a similar ordinance for the right of way through Skagit County and Whatcom County respectively, as soon as the necessary description is furnished by the City Engineer.

Yours very truly,

WALTER F. MEIER,
Corporation Counsel.

By *Charles J. Donworth*
Assistant.

CTD:F

END.