

## Ordinance No. 66871

AN ORDINANCE relating to the existing Skagit electric transmission system right-of-way in Snohomish County; providing for the condemnation of the right to construct steel towers in lieu of wood towers thereover.

*10.26.36 pass*

## Council Bill No. 57864

INTRODUCED: OCT 26 1936	BY: CITY UTILITIES
REFERRED: OCT 26 1936	TO: Finance-City Utilities
REPORTED:	
REPORTED: NOV 2 1936	VETO:
SECOND READING: NOV 2 1936	PUBLISHED:
THIRD READING: NOV 2 1936	VETO SUSTAINED:
ORDERED: NOV 2 1936	PASSED OVER VETO:
PRESENTED TO MAYOR: NOV 4 1936	APPROVED: NOV 5 1936
FILED: NOV 5 1936	PUBLISHED: NOV 11 1936
ENROLLED: 1895 VOL. 2 PAGE 192	BY: B. D. H.
CORRECTED BY:	

JAN:AM 10-26-36

ORDINANCE NO. ~~66871~~

AN ORDINANCE relating to the existing Skagit electric transmission system right-of-way in Snohomish County; providing for the condemnation of the right to construct steel towers in lieu of wood towers thereover.

WHEREAS, the City of Seattle has acquired in Snohomish County the necessary right-of-way for an electric transmission system to convey electric energy from the generating plants on the Skagit River to the City of Seattle, and has constructed and now operates one transmission line thereover; and,

WHEREAS, the City now desires to acquire the right to construct steel towers in lieu of the existing right to construct wood towers; Now, Therefore,

BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:

Section 1. That public necessity demands that the rights hereinafter specified be condemned, taken and appropriated for public use. That the City of Seattle acquire, appropriate and take the right to construct steel towers in lieu of wood towers over the existing right-of-way for an electric transmission system in Snohomish County for the purpose of conveying electric energy from the hydroelectric power plants on the Skagit River to the City of Seattle. That the lands affected are more particularly described as follows:



CENTER LINE DESCRIPTION OF THE CITY OF SEATTLE'S TRANSMISSION SYSTEM  
RIGHT OF WAY THROUGH SNOHOMISH COUNTY

A strip of land 300 feet in width over and across Section 6, Township 32 North, Range 10 East, W.M.; Sections 1, 12, 11, 10, 9, 8 and 7, Township 32 North, Range 9 East, W.M.; Sections 12, 11, 10, 9, 8 and 7, Township 32 North, Range 8 East, W.M.; Sections 12, 11, 10, 14, 15, 16, 17, 20, 19 and 30, Township 32 North, Range 7 East, W.M.; Sections 25, 36 and 35, Township 32 North, Range 6 East, W.M.; Sections 2, 3, 10, 9, 16, 17, 20, 19, 30 and 31, Township 31 North, Range 6 East, W.M.; Sections 6, 7 and 18, Township 30 North, Range 6 East, W.M.; Sections 12, 13, 24, 25 and 36, Township 30 North, Range 5 East, W.M.; Sections 1, 12, 13, 24, 25 and 36, Township 29 North, Range 5 East, W.M.; Sections 1, 11, 12, 13, 14, 22, 23, 27, 34 and 33, Township 28 North, Range 5 East, W.M.; Sections 4, 5, 8, 17 and a portion of Section 18, Township 27 North, Range 5 East, W.M.; said 300-foot strip of land being 112.5 feet in width on the northerly and westerly side and 187.5 feet in width on the southerly and easterly side of the center line of The City of Seattle's Transmission Line survey; said center line of Transmission survey is more particularly described as follows, to-wit:

Beginning at Engineer's Survey Station 116+10.5, a point on the south line of Section 31, Township 33 North, Range 10 East, W.M., which point also lies on the north boundary line of Snohomish County and bears west, as measured along the Section line, 3226.4 feet from the southeast corner of said Section 31 in said Township 33 North, Range 10 East, W.M.; thence running South 22°02' West a distance of 2815.3 feet to Engineer's Survey Station 87+95.2; thence South 46°22' West a distance of 1565.84 feet to Engineer's Survey Station 72+29.36, a point on the west line of Section 6, Township 32 North, Range 10 East, W.M., and from which point the section corner common to Sections 1 and 12, Township 32 North, Range 9 East, W.M., and Section 6 and 7, Township 32 North, Range 10 East, W.M., bears south, as measured along the section line, a distance of 1158.13 feet; thence continuing South 46°22' West a distance of 1678.36 feet to Engineer's Survey Station 55+51.0, a point on the south line of Section 1, Township 32 North, Range 9 East, W.M., and from which point the section corner common to Sections 1 and 12, Township 32 North, Range 9 East, W.M., and Sections 6 and 7, Township 32 North, Range 10 East, W.M., bears east, as measured along the section line, a distance of 1214.74 feet; thence continuing South 46°22' West a distance of 5551.0 feet to Engineer's Survey Station 0+00; thence South 89°01'17" West a distance of 142.2 feet to Engineer's Survey Station 1+42.2, a point on the west line of Section 12, Township 32 North, Range 9 East, W.M., and from which point the section corner common to Sections 11, 12, 13 and 14, Township 32 North, Range 9 East, W.M., bears south, as measured along the section line, a distance of 1565.8 feet; thence continuing South 89°01'17" West a distance of 5224.80 feet to Engineer's Survey Station 53+67.0 a point on the west line of Section 11, Township 32 North, Range 9 East, W.M., and from which point the section corner common to Sections 10, 11, 14 and 15, Township 32 North, Range 9 East, W.M., bears south, as measured along the section line, a distance of 1588 feet more or less; thence continuing South 89°01'17" West a distance of 4605.2 feet more or less to Engineer's Survey Station 99+72.2, which equals Engineer's Survey Station 100+00; thence South 88°26' West a distance of 448.82 feet to Engineer's

Survey Station 104+48.82, a point on the West line of Section 10, Township 32 North, Range 9 East, W.M., and from which point the section corner common to Sections 9, 10, 15 and 16, Township 32 North, Range 9 East, W.M., bears South, as measured along the section line, a distance of 1583.19 feet; thence continuing South 88°26' West a distance of 5519.18 feet to Engineer's Survey Station 159+68, a point on the west line of Section 9, Township 32 North, Range 9 East, W.M., and from which point the one-quarter section corner common to Sections 8 and 9 bears north, as measured along the section line, a distance of 1080 feet; thence continuing South 88°26' West a distance of 5280.25 feet to Engineer's Survey Station 212+48.25, a point on the west line of Section 8, Township 32 North, Range 9 East, W.M., and from which point the section corner common to Sections 7, 8, 17 and 18, Township 32 North, Range 9 East, W.M., bears south, as measured along the section line, a distance of 1508.54 feet; thence continuing South 88°26' West a distance of 4774.68 feet to Engineer's Survey Station 260+22.93, a point on the west line of Section 7, Township 32 North, Range 9 East, W.M., and from which point the southwest corner of said Section 7 bears south, as measured along the section line, a distance of 1647.02 feet; thence continuing South 88°26' West a distance of 177.07 feet to Engineer's Survey Station 262+00, thence South 83°32' West a distance of 4254.3 feet to Engineer's Survey Station 304+54.3; thence North 85°18' West a distance of 928.1 feet to Engineer's Survey Station 313+82.40, a point on the west line of Section 12, Township 32 North, Range 8 East, W.M., and from which point the section corner common to Sections 11, 12, 13 and 14, Township 32 North, Range 8 East, W.M., bears south, as measured along the section line, a distance of 1331.08 feet; thence continuing North 85°18' West a distance of 1942.4 feet to Engineer's Survey Station 333+24.8; thence North 74°17' West 3000.2 feet to Engineer's Survey Station 363+25.0; thence North 86°05' West 3521.7 feet to Engineer's Survey Station 398+46.70; thence North 89°52'30" West 2212.7 feet to Engineer's Survey Station 420+59.4, a point on the west line of Section 10, Township 32 North, Range 8 East, W.M., from which point the quarter corner common to Sections 9 and 10, Township 32 North, Range 8 East, W.M., bears south along the section line 47.9 feet; thence continuing North 89°52'30" West 4371.5 feet to Engineer's Survey Station 464+30.9, which equals Engineer's Survey Station 463+23.5; thence South 85°29' West a distance of 654.6 feet to Engineer's Survey Station 471+78.3, a point on the west line of Section 9, Township 32 North, Range 8 East, W.M., and from which point the one-quarter section corner common to Sections 8 and 9, Township 32 North, Range 8 East, W.M., bears south, as measured along the section line, a distance of 33.06 feet; thence continuing South 85°29' West a distance of 5066.90 feet to Engineer's Survey Station 522+45.2; thence South 87°39'30" West 3727.70 feet to Engineer's Survey Station 559+72.90, which equals Engineer's Survey Station 560+15.07; thence South 78°21' West 1587.03 feet to Engineer's Survey Station 576+02.10, a point on the west line of Section 7, Township 32 North, Range 8 East, W.M., and from which point the west one-quarter corner of said Section 7 bears north, as measured along the section line, a distance of 649.17 feet; thence continuing South 78°21' West a distance of 5195.90 feet to Engineer's Survey Station 629+18.6; thence South 84°20'30" West 301.72 feet to Engineer's Survey Station 632+20.32, a point on the west line of Section 12, Township 32 North, Range 7 East, W.M., from which point the section corner common to Sections 11, 12, 13 and 14, Township 32 North, Range 7 East, W.M., bears south along the section line 1002.41 feet; thence continuing South 84°20'30" West 3399.18 feet to Engineer's Survey Station 666+19.5, thence South 72°24' West 1830.5 feet to Engineer's Survey Station 684+50; thence South 80°24' West 221.07 feet to Engineer's Survey Station 686+71.07, a point on the west line of Section 11, Town-



ship 32 North, Range 7 East, W.M., and from which point the section corner common to Sections 10, 11, 14 and 15, Township 32 North, Range 7 East, W.M., bears south, as measured along the section line, a distance of 122.44 feet; thence continuing South  $80^{\circ}24'$  West a distance of 874.93 feet to Engineer's Survey Station 695+46, a point on the south line of Section 10, Township 32 North, Range 7 East, W.M., and from which point the section corner common to Sections 10, 11, 14 and 15, Township 32 North, Range 7 East, W.M., bears east, as measured along the section line, a distance of 860.41 feet; thence continuing South  $80^{\circ}24'$  West a distance of 4433.65 feet to Engineer's Survey Station 739+79.65, a point on the west line of Section 15, Township 32 North, Range 7 East, W.M., and from which point the section corner common to Sections 9, 10, 15 and 16, Township 32 North, Range 7 East, W.M., bears north, as measured along the section line a distance of 643.15 feet; thence continuing South  $80^{\circ}24'$  West a distance of 620.35 feet to Engineer's Survey Station 746+00; thence South  $68^{\circ}0'$  West a distance of 3622.5 feet to Engineer's Survey Station 782+22.5; thence South  $54^{\circ}38'$  West a distance of 600.0 feet to Engineer's Survey Station 788+22.5, which equals Engineer's Survey Station 788+39.3; thence South  $41^{\circ}16'$  West a distance of 1351.4 feet to Engineer's Survey Station 801+90.7, a point on the west line of Section 16, Township 32 North, Range 7 East, W.M., and from which point the section corner common to Sections 16, 17, 20 and 21, Township 32 North, Range 7 East, W.M., bears south, as measured along the section line, a distance of 1921.11 feet; thence continuing South  $41^{\circ}16'$  West a distance of 2544.0 feet to Engineer's Survey Station 827+59.96, a point on the south line of Section 17, Township 32 North, Range 7 East, W.M., and from which point the section corner common to Sections 16, 17, 20 and 21, Township 32 North, Range 7 East, W.M., bears east, as measured along the section line, a distance of 1686.56 feet, thence continuing South  $41^{\circ}16'$  West a distance of 2646.44 feet to Engineer's Survey Station 854+06.4; thence South  $38^{\circ}22'$  West 2839.75 feet to Engineer's Survey Station 882+46.15, a point on the west line of Section 20, Township 32 North, Range 7 East, W.M., from which point the section corner common to Sections 19, 20, 29 and 30, Township 32 North, Range 7 East, W.M., bears South 1170.74 feet; thence continuing South  $38^{\circ}22'$  West 1501.85 feet to Engineer's Survey Station 897+48.00, a point on the south line of Section 19, Township 32 North, Range 7 East, W.M., from which point the section corner common to Sections 19, 20, 29 and 30, Township 32 North, Range 7 East, W.M., bears east 959.12 feet; thence continuing South  $38^{\circ}22'$  West 4297.54 feet to Engineer's Survey Station 940+45.54; thence South  $46^{\circ}21'$  West 1866.32 feet to Engineer's Survey Station 959+11.86, a point on the west line of Section 30, Township 32 North, Range 7 East, W.M., from which point the southwest section corner of Section 30, Township 32 North, Range 7 East, W.M., bears south along the section line 754.20 feet; thence continuing South  $46^{\circ}21'$  West 1123.64 feet to Engineer's Survey Station 970+35.5, a point on the south line of Section 25, Township 32 North, Range 6 East, W.M., from which point the southeast section corner of Section 25, Township 32 North, Range 6 East, W.M., bears east along the section line 835.57 feet; thence continuing South  $46^{\circ}21'$  West 1942.96 feet to Engineer's Survey Station 989+78.46, which equals Engineer's Survey Station 989+48.0; thence South  $44^{\circ}10'47''$  West a distance of 4244.34 feet to Engineer's Survey Station 1031+92.34, a point on the west line of Section 36, Township 32 North, Range 6 East, W.M., and from which point the southwest corner of said Section 36, Township 32 North, Range 6 East, W.M., bears south, as measured along the section line, a distance of 1163.83 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 1716.16 feet to Engineer's Survey Station 1049+08.5,

a point on the south line of Section 35, Township 32 North, Range 6 East, W.M., and from which point the southeast corner of said Section 35, Township 32 North, Range 6 East, W.M., bears east, as measured along the section line, a distance of 1236.09 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 5812.24 feet to Engineer's Survey Station 1107+20.74, a point on the west line of Section 2, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 2, 3, 10 and 11, Township 31 North, Range 6 East, W.M., bears south, as measured along the section line, a distance of 1308.66 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 1869.9 feet to Engineer's Survey Station 1125+90.64, a point on the south line of Section 3, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 2, 3, 10 and 11 of said Township 31 North, Range 6 East, W.M., bears east, as measured along the section line, a distance of 1338.19 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 1134.36 feet to Engineer's Survey Station 1137+25; thence South  $49^{\circ}54'47''$  West a distance of 4490.74 feet to Engineer's Survey Station 1182+15.79, a point on the west line of Section 10, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 9, 10, 15 and 16, Township 31 North, Range 6 East, W.M., bears south, as measured along the section line, a distance of 1656.03 feet; thence continuing South  $49^{\circ}54'47''$  West a distance of 7.0 feet to Engineer's Survey Station 1182+22.5; thence South  $41^{\circ}11'47''$  West a distance of 2191.49 feet to Engineer's Survey Station 1204+14.5, a point on the south line of Section 9, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 9, 10, 15 and 16, Township 31 North, Range 6 East, W.M., bears east, as measured along the section line, a distance of 1458.13 feet; thence continuing South  $41^{\circ}11'47''$  West a distance of 1452.27 feet to Engineer's Survey Station 1218+66.5; thence South  $39^{\circ}08'47''$  West a distance of 2961.4 feet to Engineer's Survey Station 1248+27.9, which equals Engineer's Survey Station 1388+50; thence South  $44^{\circ}10'47''$  West a distance of 1434.0 feet to Engineer's Survey Station 1402+84.0, a point on the west line of Section 16, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 17, 16, 21 and 20, Township 31 North, Range 6 East, W.M., bears South, as measured along the section line, a distance of 823.92 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 1122.74 feet to Engineer's Survey Station 1414+06.74, a point on the south line of Section 17, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 17, 16, 21 and 20, Township 31 North, Range 6 East, W.M., bears east, as measured along the section line, a distance of 784.46 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 6295.57 feet to Engineer's Survey Station 1477+02.31, a point on the west line of Section 20, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 19, 20, 29 and 30, Township 31 North, Range 6 East, W.M., bears south, as measured along the section line, a distance of 820.66 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 1193.66 feet to Engineer's Survey Station 1488+95.97, a point on the south line of Section 19, Township 31 North, Range 6 East, W.M., and from which point the section corner common to Sections 19, 20, 29 and 30, Township 31 North, Range 6 East, W.M., bears east, as measured along the section line, a distance of 852.38 feet; thence continuing South  $44^{\circ}10'47''$  West a distance of 88.63 feet to Engineer's Survey Station 1489+84.6; thence South  $11^{\circ}50'$  West a distance of 5194.18 feet to Engineer's Survey Station 1541+78.78, a point on the south line of Section 30, Township 31 North, Range 6 East, W.M., and from which point the one-quarter section corner common to Sections 30 and 31, Township 31 North, Range 6 East, W.M., bears west, as



measured along the section line, a distance of 931.32 feet; thence continuing South  $11^{\circ}50'$  West a distance of 5319.26 feet to Engineer's Survey Station 1594+98.04, a point on the south line of Section 31, Township 31 North, Range 6 East, W.M., and from which point the south one-quarter section corner of Section 31, Township 31 North, Range 6 East, W.M., bears east, as measured along the section line, a distance of 234.68 feet; thence continuing South  $11^{\circ}50'$  West a distance of 5678.65 feet to Engineer's Survey Station 1651+76.69, a point on the south line of Section 6, Township 30 North, Range 6 East, W.M., and from which point the southwest corner of Section 6, Township 30 North, Range 6 East, W.M., bears west, as measured along the section line, a distance of 1084.12 feet; thence continuing South  $11^{\circ}50'$  West a distance of 4952.93 feet to Engineer's Survey Station 1701+29.82, a point on the west line of Section 7, Township 30 North, Range 6 East, W.M., and from which point the southwest corner of said Section 7 bears south, as measured along the section line, a distance of 465.33 feet; thence continuing South  $11^{\circ}50'$  West a distance of 483.88 feet to Engineer's Survey Station 1706+13.5, a point on the south line of Section 12, Township 30 North, Range 5 East, W.M., and from which point the southeast corner of said Section 12 bears east, as measured along the section line, a distance of 107.28 feet; thence continuing South  $11^{\circ}50'$  West a distance of 5423.74 feet to Engineer's Survey Station 1760+37.24, a point on the south line of Section 13, Township 30 North, Range 5 East, W.M., and from which point the southeast corner of said Section 13 bears east, as measured along the section line, a distance of 510.0 feet more or less; thence continuing South  $11^{\circ}50'$  West a distance of 5502.58 feet to Engineer's Survey Station 1815+39.82, a point on the south line of Section 24, Township 30 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 24 and 25, Township 30 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 120.35 feet more or less; thence continuing South  $11^{\circ}50'$  West a distance of 2410.38 feet to Engineer's Survey Station 1839+50.2; thence South  $6^{\circ}15'$  East a distance of 2936.3 feet to Engineer's Survey Station 1868+86.5, a point on the south line of Section 25, Township 30 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 25 and 36, Township 30 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 191.4 feet; thence continuing South  $6^{\circ}15'$  East a distance of 2624.3 feet to Engineer's Survey Station 1895+10.8 which equals Engineer's Survey Station 1893+87; thence South  $2^{\circ}04'$  West a distance of 2609.0 feet to Engineer's Survey Station 1919+96.0, a point on the south line of Section 36, Township 30 North, Range 5 East, W.M., and from which point the south one-quarter section corner of Section 36, Township 30 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 75.20 feet; thence continuing South  $2^{\circ}04'$  West a distance of 5211.8 feet to Engineer's Survey Station 1972+07.8, a point on the south line of Section 1, Township 29 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 1 and 12, Township 29 North, Range 5 East, W.M., bears East, as measured along the section line, a distance of 441.07 feet; thence continuing South  $2^{\circ}04'$  West a distance of 5304.88 feet to Engineer's Survey Station 2025+12.68, a point on the south line of Section 12, Township 29 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 12 and 13, Township 29 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 789.53 feet; thence continuing South  $2^{\circ}04'$  West a distance of 5255.96 feet to Engineer's Survey Station 2077+68.64, a point on the south line of Section 13, Township 29 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 13 and 24, Township 29 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of

930.45 feet more or less; thence continuing South  $2^{\circ}04'$  West a distance of 5323.83 feet to Engineer's Survey Station 2130+92.47, a point on the south line of Section 24, Township 29 North, Range 5 East, W.M., and from which point the section corner common to Sections 23, 24, 25 and 26, Township 29 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 1403.07 feet; thence continuing South  $2^{\circ}04'$  West for a distance of 10,524.71 feet to Engineer's Survey Station 2236+17.18, a point on the south line of Section 36, Township 29 North, Range 5 East, W.M., and from which point the southwest corner of said Section 36 bears west, as measured along the section line, a distance of 1011.91 feet; thence continuing South  $2^{\circ}04'$  West for a distance of 292.82 feet to Engineer's Survey Station 2239+10, which point equals Engineer's Survey Station 2239+16.8 and from which point the Southwest corner of Section 36, Township 29 North, Range 5 East, W.M., bears North  $74^{\circ}26'47''$  West a distance of 1039.32 feet; thence South  $25^{\circ}50'$  West for a distance of 2057.77 feet to Engineer's Survey Station 2259+67.77, a point on the east line of Section 2, Township 28 North, Range 5 East, W.M., and from which point the  $1/4$  section corner common to Sections 1 and 2, Township 28 North, Range 5 East, W.M., bears South, as measured along the section line, a distance of 491.16 feet; thence continuing South  $25^{\circ}50'$  West, a distance of 3494.69 feet to Engineer's Survey Station 2294+62.46, a point on the South line of Section 2, Township 28 North, Range 5 East, W.M., and from which point the  $1/4$  section corner common to Sections 2 and 11, Township 28 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 1098.43 feet; thence continuing South  $25^{\circ}50'$  west for a distance of 4367.54 feet to Engineer's Survey Station 2338+30; thence South  $12^{\circ}23'$  west for a distance of 1391.4 feet to Engineer's Survey Station 2352+21.4 a point on the south line of Section 11, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 10, 11, 14 and 15 bears west, as measured along the section line, a distance of 1467.75 feet; thence continuing south  $12^{\circ}23'$  west for a distance of 5286.07 feet to Engineer's Survey Station 2405+07.47, a point on the south line of Section 14, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 14, 15, 22 and 23 bears west, as measured along the section line a distance of 180.56 feet; thence continuing south  $12^{\circ}23'$  west for a distance of 819.37 feet to Engineer's Survey Station 2413+26.84, a point on the east line of Section 22, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 14, 15, 22 and 23 bears north, as measured along the section line, a distance of 799.71 feet; thence continuing south  $12^{\circ}23'$  west, for a distance of 4585.19 feet to Engineer's Survey Station 2459+12.03, a point on the south line of Section 22, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 22, 23, 26 and 27, Township 28 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 996.9 feet; thence continuing south  $12^{\circ}23'$  west for a distance of 1553.97 feet to Engineer's Survey Station 2474+66, which equals Engineer's Survey Station 2479+82.9, and from which point the section corner common to Sections 22, 23, 26 and 27 bears North  $41^{\circ}23'03''$  east a distance of 2011.87 feet; thence South  $30^{\circ}20'30''$  west 4406.94 feet to Engineer's Survey Station 2523+89.84, a point on the south line of Section 27, Township 28 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 27 and 34, Township 28 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 922.61 feet; thence continuing South  $30^{\circ}20'30''$  West a distance of 3376.20 feet to Engineer's Survey Station 2557+66.04, a point on the west line of Section 34, Township 28 North, Range 5 East, W.M., and from which point the section corner common to Sections 33 and 34, Township 28 North, Range 5 East, W.M., and Sections 4



and 3, Township 27 North, Range 5 East, W.M., bears south, as measured along the section line, a distance of 2345.4 feet, thence continuing South  $30^{\circ}20'30''$  West a distance of 1218.16 feet to Engineer's Survey Station 2569+84.2, which equals Engineer's Survey Station 2571+00.6; thence South  $36^{\circ}45'$  West a distance of 1619.74 feet to Engineer's Survey Station 2587+20.34, a point on the south line of Section 33, Township 27 North, Range 5 East, W.M., and from which point the south one-quarter section corner of said Section 33 bears west, as measured along the section line, a distance of 1030.13 feet; thence continuing South  $36^{\circ}45'$  West a distance of 6041.78 feet to Engineer's Survey Station 2647+62.12, a point on the west line of Section 4, Township 27 North, Range 5 East, W.M., and from which point the section corner common to Sections 4, 5, 8 and 9, Township 27 North, Range 5 East, W.M., bears south, as measured along the section line, a distance of 477.62 feet, thence continuing South  $36^{\circ}45'$  West a distance of 575.22 feet to Engineer's Survey Station 2653+37.34, a point on the north line of Section 8, Township 27 North, Range 5 East, W.M., and from which point the section corner common to Sections 4, 5, 8 and 9, Township 27 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 354.39 feet; thence continuing South  $36^{\circ}45'$  West a distance of 6608.16 feet to Engineer's Survey Station 2719+45.5, a point on the south line of Section 8, Township 27 North, Range 5 East, W.M., and from which point the section corner common to Sections 7, 8, 17 and 18, Township 27 North, Range 5 East, W.M., bears west, as measured along the section line, a distance of 979.6 feet more or less; thence continuing South  $36^{\circ}45'$  West for a distance of 1653.36 feet to Engineer's Survey Station 2735+98.86, a point on the west line of Section 17, Township 27 North, Range 5 East, W.M., and from which point the section corner common to Sections 7, 8, 17 and 18, Township 27 North, Range 5 East, W.M., bears north, as measured along the section line, a distance of 1321.10 feet more or less; thence continuing South  $36^{\circ}45'$  West, for a distance of 362.14 feet to Engineer's Survey Station 2739+61.0, which point equals Engineer's Survey Station 2739+53.0, a point in the southeast one-quarter of the Northeast one-quarter, Section 18, Township 27 North, Range 5 East, W.M., and from which point the section corner common to Sections 7, 8, 17 and 18, bears North  $8^{\circ}17'$  East a distance of 1619.0 feet more or less.

A strip of land 150 feet in width over and across Sections 18 and 19, Township 27 North, Range 5 East, W.M.; Sections 24, 25, 26, 27, 34 and 33, Township 27 North, Range 4 East, W.M., said 150-foot strip of land being 75 feet in width on each side of the center line of The City of Seattle's Transmission Line Survey; which center line of survey is more particularly described as follows, to-wit:

Beginning at Engineer's Survey Station 2739+53.0, a point in the Southeast one-quarter of the Northeast one-quarter of Section 18, Township 27 North, Range 5 East, W.M., and from which point the section corner common to Sections 7, 8, 17 and 18 bears North  $8^{\circ}17'$  East a distance of 1619.0 feet more or less; thence South  $44^{\circ}06'30''$  West a distance of 4267.6 feet to Engineer's Survey Station 2782+20.6; thence South  $48^{\circ}32'30''$  West a distance of 945.4 feet to Engineer's Survey Station 2791+66.0, a point on the south line of Section 18, Township 27 North, Range 5 East, W.M., and from which point the one-quarter section corner common to Sections 18 and 19, Township 27 North, Range 5 East, W.M., bears east, as measured along the section line, a distance of 1582.53 feet; thence continuing South  $48^{\circ}32'30''$  West a distance of 1383.75 feet to Engineer's Survey Station 2805+49.75, a point on the west line of Section 19, Township 27 North, Range 5 East, W.M., and from which point the Northwest corner of said Section 19 bears north, as measured along the section line, a distance of 880.80 feet; thence

continuing South  $48^{\circ}32'30''$  West for a distance of 6604.91 feet to Engineer's Survey Station 2871+54.66, a point on the south line of Section 24, Township 27 North, Range 4 East, W.M., and from which point the section corner common to Sections 23, 24, 25 and 26, Township 27 North, Range 4 East, W.M., bears west, as measured along the section line, a distance of 342.12 feet, thence continuing South  $48^{\circ}32'30''$  West a distance of 449.42 feet to Engineer's Survey Station 2876+03.08, a point on the west line of Section 25, Township 27 North, Range 4 East, W.M., and from which point the section corner common to Sections 23, 24, 25 and 26, Township 27 North, Range 4 East, W. M., bears north, as measured, along the section line, a distance of 300.61 feet; thence continuing South  $48^{\circ}32'30''$  West a distance of 6939.78 feet to Engineer's Survey Station 2945+42.86, a point on the west line of Section 26, Township 27 North, Range 4 East, W.M., and from which point the section corner common to Sections 26, 27, 34 and 35, Township 27 North, Range 4 East, W.M., bears south, as measured along the section line, a distance of 290.86 feet; thence continuing South  $48^{\circ}32'30''$  West a distance of 465.30 feet to Engineer's Survey Station 2950+08.16, a point on the north line of Section 34, Township 27 North, Range 4 East, W.M., and from which point the section corner common to Sections 26, 27, 34 and 35, Township 27 North, Range 4 East, W.M., bears east, as measured along the section line, a distance of 354.82 feet; thence continuing South  $48^{\circ}32'30''$  West for a distance of 6530.0 feet to Engineer's Survey Station 3015+38.16, a point on the west line of Section 34, Township 27 North, Range 4 East, W.M., and from which point the south-west corner of said Section 34, bears south, as measured along the section line, a distance of 1079.62 feet; thence continuing South  $48^{\circ}32'30''$  West a distance of 1627.19 feet to Engineer's Survey Station 3031+65.35, a point on the south line of Section 33, Township 27 North, Range 4 East, W.M., which point also lies on the south boundary of Snohomish County and from which point the south-east corner of Section 33, Township 27 North, Range 4 East, W.M., bears east, as measured along the section line, a distance of 1232.73 feet.



Section 2. That the Corporation Counsel be, and he is hereby, authorized and directed to initiate and prosecute the actions and proceedings in the manner required by law to purchase, condemn, take, damage and appropriate the necessary property rights and privileges to carry out the provisions of this ordinance.

Section 3. That in conducting said condemnation proceedings, the Corporation Counsel be, and he is hereby, authorized to reserve to the respective property owners all existing rights reserved under the existing judgments and conveyances not inconsistent with the right to construct steel towers as herein provided.

Section 4. This ordinance shall take effect and be in force thirty days from and after its passage and approval, if approved by the Mayor; otherwise it shall take effect at the time it shall become a law under the provisions of the city charter.

Passed the City Council the 2 day of NOVEMBER, 1936,  
and signed by me in open session in authentication of its passage this 2 day of

NOVEMBER, 1936 Walter H. Hightower  
President of the City Council.

Approved by me this 5 day of NOVEMBER, 1936,  
John F. Lore  
Mayor.

Filed by me this 5 day of NOVEMBER, 1936.

Attest: H. R. Cannon  
City Comptroller and Ex-Officio City Clerk.  
By C. M. Scott  
Deputy Clerk.

(SEAL)

Published NOV 11 1936

City Comptroller and Ex-Officio City Clerk.  
By \_\_\_\_\_  
Deputy Clerk.

ASSISTANT CORPORATION COUNSEL

J. AMBLER NEWTON  
WALTER L. BAUMGARTNER  
CAMPBELL C. MCCULLOUGH  
GLEN E. WILSON  
JOHN E. SANDERS  
JOHN A. HOMER  
GEO. T. MCILLIVRAY  
E. A. SWIFT, JR.  
JOHN A. LOSAN  
CITY ATTORNEY  
BRUCE MACDOUGALL

THE CITY OF SEATTLE  
LAW DEPARTMENT

A. C. VAN SOELEN, CORPORATION COUNSEL

CHIEF CLERK  
R. B. McCLINTON  
SECRETARY  
RUTH GRIFFIN  
LAW CLERK  
C. V. HOARD  
CLAIM AGENT  
JOHN F. COOPER

October 26, 1936.

Mr. Frederick G. Hamley, Chairman,  
City Utilities Committee,  
City Council,  
Seattle.

Dear Sir:

Pursuant to your request we have prepared and herewith transmit proposed ordinance for the condemnation of the right to construct steel towers in lieu of the existing right to construct wood towers on the Skagit electric transmission system right-of-way in Snohomish County.

The descriptions have been furnished us by the Light Department. We suggest that the same be checked for possible errors.

Comptroller's File No. 152454, which accompanied your request, is herewith returned.

Yours truly,

A. C. VAN SOELEN,  
Corporation Counsel,

By:

*J. Ambler Newton*  
J. AMBLER NEWTON,  
Assistant.

JAN:AM  
Encl.