

Resolution No. 31421

The City of Seattle – Legislative Department

Resolution sponsored by: _____

A RESOLUTION granting conceptual approval to King County Department of Natural Resources and Parks, Wastewater Treatment Division to construct, maintain, and operate a combined sewer overflow control system within Triton Drive Northwest as part of the existing North Beach Pump Station.

Related Legislation File: _____

Date Introduced and Referred: <u>12/10/12</u>	To: (committee): <u>Transportation</u>
Date Re-referred:	To: (committee):
Date Re-referred:	To: (committee):
Date of Final Action: <u>3/18/13</u>	Date Presented to Mayor: <u>3/20/13</u>
Date Signed by Mayor: <u>3.26.13</u>	Date Returned to City Clerk: <u>3.27.13</u>
Published by Title Only <u>X</u>	Date Returned Without Concurrence:
Published in Full Text _____	

Committee Action:

Date	Recommendation	Vote
<u>3-12-13</u>	<u>As Amended (2013)</u> <u>Adopt (substituted v. 5)</u>	<u>TLBA JG</u> <u>3-0</u>

This file is complete and ready for presentation to Full Council. _____

Full Council Action:

Date	Decision	Vote
<u>3/18/13</u>	<u>Adopt</u>	<u>9-0</u>

Law Department

CITY OF SEATTLE
RESOLUTION 31421

1
2
3 A RESOLUTION granting conceptual approval to King County Department of Natural
4 Resources and Parks, Wastewater Treatment Division to construct, maintain, and operate
5 a combined sewer overflow control system within Triton Drive Northwest as part of the
6 existing North Beach Pump Station.

7 WHEREAS, King County Department of Natural Resources and Parks, Wastewater Treatment
8 Division ("KCWTD") has applied for permission to construct a below-grade combined
9 sewer overflow ("CSO") control facility that includes a storage tank, flushing vault, and
10 drain vault (the "North Beach CSO project" or "project"). The purpose of the project is to
11 reduce and control stormwater flows to the combined sewer system and the frequency of
12 CSO events at KCWTD's North Beach Basin outfalls to Puget Sound; and

13 WHEREAS, KCWTD has determined that installing and implementing the North Beach CSO is
14 KCWTD's preferred option for complying with KCWTD's National Pollution Discharge
15 Elimination System Waste Discharge Permit No. WA-002918-1 for the West Point
16 Wastewater Treatment Plant that requires KCWTD to limit CSO events to Puget Sound
17 at the North Beach Pump Station to no more than one overflow per year; and

18 WHEREAS, to complete facility upgrades, the City Council must also approve a separate
19 Council Land Use Action under Clerk's File 312299 that allows: an adjacent parcel
20 located to the west of the project site to be used, and other improvements within the
21 City's Shoreline Overlay zone; and

22 WHEREAS, in making a recommendation, the Director of the Seattle Department of
23 Transportation ("Director") considered the submitted plans and application materials for
24 constructing the North Beach CSO project and recommends that conceptual approval be
25 granted; NOW, THEREFORE,

26 **BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF SEATTLE, THE**
27 **MAYOR CONCURRING, THAT:**

28 Section 1. The City Council finds that the North Beach CSO project is in the public
interest.



1 Section 2. As conditions for obtaining permission to construct the North Beach CSO
2 project, KCWTD shall:

3 (1) Provide structural engineering and utility plans to the Seattle Department of
4 Transportation for reviewing and permitting;

5 (2) Provide public liability insurance naming the City as an additional insured or in the
6 form of self-insurance, either as approved by the City's Risk Manager;

7 (3) Pay all City permit fees;

8 (4) Obtain all necessary land use or building permits; and

9 (5) Remove the North Beach CSO project and restore the right-of-way to its original
10 condition if KCWTD fails to perform any obligation under the term permit within a reasonable
11 time after receiving notice by the City specifying the failure to perform.

12
13
14 Section 3. The City Council is also reviewing a separate Council Land Use Action,
15 Clerk's File 312299 that would allow: upgrades to a portion of the facility, site enhancements,
16 and related landscaping. These improvements are located at 9921 Triton Ave NW and are within
17 the City's Shoreline Overlay zone. Council is acting concurrently on this Resolution and the
18 Council Land Use Action that must be approved to implement the proposed upgrades to the
19 North Beach CSO.

20
21 Section 4. After this resolution is adopted, SDOT will present to the Council for its
22 modification or approval a draft term permit ordinance that prescribes the conditions under
23 which permission to use the right-of-way will be granted.



1 Section 5. As recommended by the Director and the Mayor, conceptual approval for
2 construction of the North Beach CSO project is GRANTED.

3
4 Adopted by the City Council the 13th day of March, 2013, and
5 signed by me in open session in authentication of its adoption this 13th day
6 of March, 2013.

7
8 
9 President _____ of the City Council

10 THE MAYOR CONCURRING:

11 
12 _____
13 Michael McGinn, Mayor

14
15 Filed by me this 27 day of March, 2013.

16
17 
18 _____
19 Monica Martinez Simmons, City Clerk

20
21 (Seal)



FISCAL NOTE FOR NON-CAPITAL PROJECTS

Department:	Contact Person/Phone:	CBO Analyst/Phone:
Seattle Department of Transportation	Angela Steel/684-5967	Rebecca Guerra/684-5339

Legislation Title:

A RESOLUTION granting conceptual approval to King County Department of Natural Resources and Parks, Wastewater Treatment Division to construct, maintain, and operate a combined sewer overflow control system within Triton Drive Northwest as part of the existing North Beach Pump Station.

Summary of the Legislation:

This proposed resolution grants the conceptual approval for King County Department of Natural Resources and Parks, Wastewater Treatment Division ("KCWTD") to construct, operate, and maintain a combined sewer overflow control system ("North Beach CSO project") within Triton Drive Northwest. An area map is attached for reference.

The purpose of the North Beach CSO project is to reduce and control stormwater flows to the combined sewer system and the frequency of CSO events at KCWTD's North Beach Basin outfalls to Puget Sound.

Background:

KCWTD has determined that installing and implementing the North Beach CSO is KCWTD's preferred option for complying with KCWTD's National Pollution Discharge Elimination System Waste Discharge Permit No. WA-002918-1 for the West Point Wastewater Treatment Plant that requires KCWTD to limit CSO events to Puget Sound at the North Beach Pump Station to no more than one overflow per year.

Please check one of the following:

This legislation does not have any financial implications.

Although this resolution does not accept or appropriate funds, SDOT will receive a permit fee from KCWTD after the effective date of the term permit ordinance.

List attachments to the fiscal note below:

Attachment A – King County North Beach CSO Area Map





City of Seattle
Office of the Mayor

November 27, 2012

Honorable Sally J. Clark
President
Seattle City Council
City Hall, 2nd Floor

Dear Council President Clark:

I am pleased to transmit the attached proposed Resolution that grants conceptual approval to King County Department of Natural Resources and Parks, Wastewater Treatment Division to construct, maintain, and operate a combined sewer overflow control system ("North Beach CSO project") within Triton Drive Northwest as part of the existing North Beach Pump Station.

The purpose of the North Beach CSO project is to reduce and control stormwater flows to the combined sewer system and the frequency of CSO events at KCWTD's North Beach Basin outfalls to Puget Sound. King County's National Pollution Discharge Elimination System Waste Discharge Permit for the West Point Wastewater Treatment Plant requires that King County limit CSO events to Puget Sound at the North Beach Pump Station to no more than one overflow per year.

Thank you for your consideration of this legislation. Should you have questions, please contact Angela Steel at 684-5967.

Sincerely,

Michael McGinn
Mayor of Seattle

cc: Honorable Members of the Seattle City Council



CITY OF SEATTLE
RESOLUTION 31421

A RESOLUTION granting conceptual approval to King County Department of Natural Resources and Parks, Wastewater Treatment Division to construct, maintain, and operate a combined sewer overflow control system within Triton Drive Northwest as part of the existing North Beach Pump Station.

WHEREAS, King County Department of Natural Resources and Parks, Wastewater Treatment Division ("KCWTD") has applied for permission to construct a below-grade combined sewer overflow ("CSO") control facility that includes a storage tank, flushing vault, and drain vault (the "North Beach CSO project" or "project"). The purpose of the project is to reduce and control stormwater flows to the combined sewer system and the frequency of CSO events at KCWTD's North Beach Basin outfalls to Puget Sound; and

WHEREAS, KCWTD has determined that installing and implementing the North Beach CSO is KCWTD's preferred option for complying with KCWTD's National Pollution Discharge Elimination System Waste Discharge Permit No. WA-002918-1 for the West Point Wastewater Treatment Plant that requires KCWTD to limit CSO events to Puget Sound at the North Beach Pump Station to no more than one overflow per year; and

WHEREAS, in making a recommendation, the Director of the Seattle Department of Transportation ("Director") considered the submitted plans and application materials for constructing the North Beach CSO project and recommends that conceptual approval be granted; NOW, THEREFORE,

**BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF SEATTLE, THE
MAYOR CONCURRING, THAT:**

Section 1. The City Council finds that the North Beach CSO project is in the public interest.

Section 2. As conditions for obtaining permission to construct the North Beach CSO project, KCWTD shall:

(1) Provide structural engineering and utility plans to the Seattle Department of Transportation for reviewing and permitting;

THIS VERSION IS NOT ADOPTED



1 (2) Provide public liability insurance naming the City as an additional insured or in the
2 form of self-insurance, either as approved by the City's Risk Manager;

3 (3) Pay all City permit fees;

4 (4) Obtain all necessary land use or building permits; and

5 (5) Remove the North Beach CSO project and restore the right-of-way to its original
6 condition if KCWTD fails to perform any obligation under the term permit within a reasonable
7 time after receiving notice by the City specifying the failure to perform.
8

9 Section 3. After this resolution is adopted, SDOT will present to the Council for its
10 modification or approval a draft term permit ordinance that prescribes the conditions under
11 which permission to use the right-of-way will be granted.

12 Section 4. As recommended by the Director and the Mayor, conceptual approval for
13 construction of the North Beach CSO project is GRANTED.
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

THIS VERSION IS NOT ADOPTED



1 Adopted by the City Council the ____ day of _____, 2012, and
2 signed by me in open session in authentication of its adoption this ____ day
3 of _____, 2012.

4 _____
5 President _____ of the City Council
6

7 THE MAYOR CONCURRING:
8
9

10 _____
11 Michael McGinn, Mayor

12 Filed by me this ____ day of _____, 2012.
13

14 _____
15 Monica Martinez Simmons, City Clerk
16

17 (Seal)
18
19
20
21
22
23
24
25
26
27
28

THIS VERSION IS NOT ADOPTED



STATE OF WASHINGTON -- KING COUNTY

--SS.

296305
CITY OF SEATTLE, CLERKS OFFICE

No. 31421,430,431,434,435

Affidavit of Publication

The undersigned, on oath states that he is an authorized representative of The Daily Journal of Commerce, a daily newspaper, which newspaper is a legal newspaper of general circulation and it is now and has been for more than six months prior to the date of publication hereinafter referred to, published in the English language continuously as a daily newspaper in Seattle, King County, Washington, and it is now and during all of said time was printed in an office maintained at the aforesaid place of publication of this newspaper. The Daily Journal of Commerce was on the 12th day of June, 1941, approved as a legal newspaper by the Superior Court of King County.

The notice in the exact form annexed, was published in regular issues of The Daily Journal of Commerce, which was regularly distributed to its subscribers during the below stated period. The annexed notice, a

CT: TITLE ONLY RESOLUTION

was published on

04/11/13

The amount of the fee charged for the foregoing publication is the sum of \$82.50 which amount has been paid in full.



[Signature]

Subscribed and sworn to before me on

04/11/2013 *[Signature]*

Notary public for the State of Washington,
residing in Seattle

State of Washington, King County

City of Seattle Title Only Resolutions

The full text of the following legislation, passed by the City Council on March 18, 2013, and published below by title only, will be mailed upon request, or can be accessed at <http://clerk.seattle.gov>. For information on upcoming meetings of the Seattle City Council, please visit <http://www.seattle.gov/council/calendar>.

Contact: Office of the City Clerk at (206) 684-8344.

RESOLUTION NO. 31421

A RESOLUTION granting conceptual approval to King County Department of Natural Resources and Parks, Wastewater Treatment Division to construct, maintain, and operate a combined sewer overflow control system within Triton Drive Northwest as part of the existing North Beach Pump Station.

RESOLUTION NO. 31430

A RESOLUTION approving the proposed budget of the Skagit Environmental Endowment Commission for fiscal year 2013.

RESOLUTION NO. 31431

A RESOLUTION granting conceptual approval to construct, maintain, and operate a Saturn sculpture and solar collector over Evanston Avenue North, south of North 35th Street, as proposed by Saturn Building LLC.

RESOLUTION NO. 31434

A RESOLUTION regarding local solutions for low-income homeowners and communities impacted by the foreclosure crisis.

RESOLUTION NO. 31435

A RESOLUTION setting the public hearing on the petition of Seattle Public Utilities for the vacation of Carr Place North between North 34th Street and North 35th Street in the South Wallingford Planning area of Seattle; pursuant to Chapter 35.79 Revised Code of Washington (RCW) and Seattle Municipal Code (SMC) 15.62 (Clerk File 312535).

Date of publication in the Seattle Daily Journal of Commerce, April 11, 2013.

4/11(296305)