PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SW QUARTER OF THE SW QUARTER OF SECTION 14, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO CHAPTER 183, SESSION LAWS OF 1913 AND CITY ORDINANCE 26273 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT AT THE INTERSECTION OF THE CENTERLINES OF SOUTH ALASKA STREET AND 53RD AVENUE SOUTH; THENCE N 00º 45' 48" E ALONG THE CENTERLINE OF 53RD AVENUE SOUTH A DISTANCE OF 257.54 FEET TO A CONCRETE MONUMENT AT THE CENTERLINE OF VACATED LAKESIDE AVENUE SOUTH; THENCE N 27º 22' 43" W A DISTANCE OF 26.34 FEET TO THE FACE OF A CONCRETE CURB AND THE POINT OF BEGINNING;

THENCE LEAVING THE FACE OF THE CONCRETE CURB N 64º 25' 42" W A DISTANCE OF 13.96 FEET;

THENCE N 05º 43' 19" E A DISTANCE OF 39.82 FEET;

THENCE N 37º 51' 01" E A DISTANCE OF 14.06 FEET TO THE FACE OF A CONCRETE CURB AND THE BEGINNING OF A NON TANGENT 16.30 FOOT RADIUS CURVE WHICH RADIUS BEARS S 71º 26' 19" W;

THENCE SOUTHERLY ALONG SAID CONCRETE CURB A DISTANCE OF 6.20 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 21º 47' 01" TO THE END OF THE CURVE;

THENCE CONTINUING ALONG THE FACE OF SAID CONCRETE CURB S 00º 55' 52" W A DISTANCE OF 50.66 FEET TO THE POINT OF BEGINNING.

CONTAINING 531 SQ. FT., MORE OR LESS.

LAKE WASHINGTON BOULEVARD SOUTH
SW 1/4 SW 1/4 SEC. 14, TWP. 24 N., RGE. 4 E., W.M.







SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=80'

City of Seattle
Seattle Public Utilities

PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SW QUARTER OF THE SW QUARTER OF SECTION 14, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M. UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO CHAPTER 183, SESSION LAWS OF 1913 AND CITY ORDINANCE 26273 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT AT THE INTERSECTION OF THE CENTERLINES OF SOUTH ALASKA STREET AND 53RD AVENUE SOUTH; THENCE N 00º 45' 48" E ALONG THE CENTERLINE OF 53RD AVENUE SOUTH A DISTANCE OF 257.54 FEET TO THE INTERSECTION WITH THE CENTERLINE OF VACATED LAKESIDE AVENUE SOUTH; THENCE N 33º 07' 12" E A DISTANCE OF 23.39 FEET TO THE FACE OF A CONCRETE CURB AND THE POINT OF BEGINNING;

THENCE LEAVING THE FACE OF CONCRETE CURB S 86º 47' 50" E A DISTANCE OF 11.92 FEET;

THENCE N 00º 48' 07" E A DISTANCE OF 16.62 FEET;

THENCE N 15º 26' 47" E A DISTANCE OF 35.68 FEET TO THE FACE OF A CONCRETE CURB AND THE BEGINNING OF A NON TANGENT 17.65 FOOT RADIUS CURVE WHICH RADIUS BEARS S 11º 59' 21" W;

THENCE WESTERLY AND SOUTHERLY ALONG THE ARC OF SAID CURVE AND ALONG SAID CONCRETE CURB THROUGH A CENTRAL ANGLE OF 106º 53' 14" A DISTANCE OF 32.93 FEET TO THE END OF THE CURVE;

THENCE CONTINUING ALONG THE FACE OF THE CONCRETE CURB S 00º 42' 37" W A DISTANCE OF 31.58 FEET TO THE POINT OF BEGINNING.

CONTAINING 705 SQ. FT., MORE OR LESS.

LAKE WASHINGTON BOULEVARD SOUTH
SW 1/4 SW 1/4 SEC. 14, TWP. 24 N., RGE. 4 E., W.M.





SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=60'

City of Seattle
Seattle Public Utilities

PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND AND ABOVE GROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SW QUARTER OF THE SW QUARTER OF SECTION 14, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M. UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO CHAPTER 183, SESSION LAWS OF 1913 AND CITY ORDINANCE 26273 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT AT THE INTERSECTION OF THE CENTERLINES OF SOUTH ALASKA STREET AND 53RD AVENUE SOUTH; THENCE N 00º 45' 48" E ALONG THE CENTERLINE OF 53RD AVENUE SOUTH A DISTANCE OF 257.54 FEET TO THE INTERSECTION WITH THE CENTERLINE OF VACATED LAKESIDE AVENUE SOUTH; THENCE S 64º 35' 02" E A DISTANCE OF 13.80 FEET TO THE FACE OF A CONCRETE CURB AND THE POINT OF BEGINNING;

THENCE LEAVING THE FACE OF CONCRETE CURB S 64º 56' 01" E A DISTANCE OF 24.29 FEET;

THENCE N 00º 22' 24" E A DISTANCE OF 34.58 FEET;

THENCE N 86º 47' 50" W A DISTANCE OF 21.94 FEET TO THE FACE OF A CONCRETE CURB;

THENCE CONTINUING ALONG THE FACE OF THE CONCRETE CURB S 00º 42' 37" W A DISTANCE OF 25.52 FEET TO THE POINT OF BEGINNING.

CONTAINING 661 SQ. FT., MORE OR LESS.

LAKE WASHINGTON BOULEVARD SOUTH
SW 1/4 SW 1/4 SEC. 14, TWP. 24 N., RGE. 4 E., W.M.



12-12-12



SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=60'

City of Seattle
Seattle Public Utilities

PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SW QUARTER OF THE SW QUARTER OF SECTION 14, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M., UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO CHAPTER 183, SESSION LAWS OF 1913 AND CITY ORDINANCE 26273 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT IN A CASE AT THE INTERSECTION OF THE CENTERLINES OF 51ST AVENUE SOUTH AND SOUTH SNOQUALMIE STREET; THENCE S 89° 15' 07" E ALONG THE CENTERLINE OF SOUTH SNOQUALMIE STREET A DISTANCE OF 310.03 FEET TO A CONCRETE MONUMENT AT THE INTERSECTION OF THE CENTERLINE OF 52ND AVENUE SOUTH; THENCE S 88° 54' 28" E A DISTANCE OF 118.99 FEET TO THE POINT OF BEGINNING;

THENCE S 08° 37' 36" E A DISTANCE OF 16.41 FEET;

THENCE S 43° 16' 27" E A DISTANCE OF 10.77 FEET;

THENCE N 55° 36' 34" E A DISTANCE OF 8.29 FEET;

THENCE N 12° 19' 37" W A DISTANCE OF 26.28 FEET;

THENCE N 30° 47' 10" W A DISTANCE OF 17.90 FEET;

THENCE S 82° 07' 20" E A DISTANCE OF 37.97 FEET;

THENCE N 53° 54' 47" E A DISTANCE OF 5.17 FEET TO THE FACE OF A CONCRETE CURB;

THENCE ALONG THE FACE OF THE CONCRETE CURB N 36° 14' 06" W A DISTANCE OF 12.01 FEET;

THENCE LEAVING THE FACE OF CONCRETE CURB N 82° 22' 45" W A DISTANCE OF 49.07 FEET; THENCE S 37° 21' 17" W A DISTANCE OF 7.77 FEET;

THENCE S 29º 33' 00" E A DISTANCE OF 33.95 FEET TO THE POINT OF BEGINNING.

CONTAINING 1,274 SQ. FT., MORE OR LESS.

12-12-12

LAKE WASHINGTON BOULEVARD SOUTH
SW 1/4 SW 1/4 SEC. 14, TWP. 24 N., RGE. 4 E., W.M.



12-12-12



SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=60'

City of Seattle
Seattle Public Utilities

PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SW QUARTER OF THE SW QUARTER OF SECTION 14, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M., UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO CHAPTER 183, SESSION LAWS OF 1913 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT AT THE INTERSECTION OF THE CENTERLINES OF SOUTH ALASKA STREET AND 53RD AVENUE SOUTH; THENCE N 00° 45' 48" E ALONG THE CENTERLINE OF 53RD AVENUE SOUTH A DISTANCE OF 257.54 FEET TO A CONCRETE MONUMENT AT THE INTERSECTION OF THE CENTERLINE OF VACATED LAKESIDE AVENUE SOUTH; THENCE N 04° 09' 03" E A DISTANCE OF 105.66 FEET TO THE FACE OF A CONCRETE CURB AND THE POINT OF BEGINNING;

THENCE LEAVING THE FACE OF CURB N 37° 25' 59" E A DISTANCE OF 12.36 FEET;

THENCE N 20° 21' 31" W A DISTANCE OF 17.50 FEET;

THENCE N 54° 22' 32" W A DISTANCE OF 75.20 FEET;

THENCE N 47° 59' 27" W A DISTANCE OF 69.16 FEET;

THENCE S 54° 02' 07" W A DISTANCE OF 26.50 FEET TO THE FACE OF A CONCRETE CURB;

THENCE CONTINUING ALONG THE FACE OF THE CONCRETE CURB N 35° 28' 09" W A DISTANCE OF 11.94 FEET;

THENCE LEAVING THE FACE OF CONCRETE CURB N 53° 55' 07" E A DISTANCE OF 61.61 FEET;

THENCE S 53° 58' 42" E A DISTANCE OF 106.61 FEET;

THENCE S 73° 24' 52" E A DISTANCE OF 119.15 FEET;

THENCE S 15° 19' 20" W A DISTANCE OF 48.19 FEET;

THENCE S 59° 24' 25" W A DISTANCE OF 42.11 FEET TO THE FACE OF A CONCRETE CURB AND THE BEGINNING OF A 429.82 FOOT RADIUS NON TANGENT CURVE WHICH RADIUS BEARS N 11° 50' 47" E;

THENCE WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 08° 34' 41" A DISTANCE OF 64.35 FEET TO THE POINT OF BEGINNING.

CONTAINING 13,672 SQ. FT., MORE OR LESS.

12-12-17

LAKE WASHINGTON BOULEVARD SOUTH
SW 1/4 SW 1/4 SEC. 14, TWP. 24 N., RGE. 4 E., W.M.



SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=100'

City of Seattle
Seattle Public Utilities

PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SE QUARTER OF THE NE QUARTER AND THE NE QUARTER OF THE SE QUARTER OF SECTION 15, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M., UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO ORDINANCES 26273, 29953, 29998 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT IN A CASE AT THE INTERSECTION OF THE CENTERLINES OF 49TH AVENUE SOUTH AND SOUTH ANDOVER STREET; THENCE N 89° 00' 13" W ALONG THE CENTERLINE OF SOUTH ANDOVER STREET A DISTANCE OF 310.15 FEET TO A CONCRETE MONUMENT AT THE INTERSECTION OF 48TH AVE SOUTH; THENCE N 01° 00' 02" E A DISTANCE OF 100.42 FEET TO THE POINT OF BEGINNING;

THENCE S 89° 29' 05" E A DISTANCE OF 24.55 FEET;

THENCE S 62° 52' 49" E A DISTANCE OF 64.02 FEET;

THENCE S 31° 31' 32" E A DISTANCE OF 26.54 FEET;

THENCE S 51° 15' 05" E A DISTANCE OF 50.17 FEET;

THENCE S 03° 07' 35" E A DISTANCE OF 39.66 FEET;

THENCE S 84° 20' 16" E A DISTANCE OF 78.25 FEET;

THENCE S 73° 55' 03" E A DISTANCE OF 22.73 FEET;

THENCE S 79° 42' 38" E A DISTANCE OF 15.47 FEET;

THENCE S 89° 00' 17" E A DISTANCE OF 43.54 FEET TO THE FACE OF A CONCRETE CURB AND TO THE BEGINNING OF A NON TANGENT 69.64 FOOT RADIUS CURVE WHICH RADIUS BEARS N 88° 16' 02" W;

THENCE SOUTHERLY LEAVING THE FACE OF THE CONCRETE CURB ALONG THE ARC OF THE CURVE THROUGH A CENTRAL ANGLE OF 52° 20' 18" A DISTANCE OF 63.61 FEET TO THE FACE OF A CONCRETE CURB;

THENCE LEAVING THE FACE OF CONCRETE CURB S 39º 54' 47" W A DISTANCE OF 38.77 FEET;

THENCE N 40º 16' 34" W A DISTANCE OF 41.68 FEET;

THENCE N 12º 59' 30" E A DISTANCE OF 22.83 FEET;

THENCE N 49º 24' 59" W A DISTANCE OF 66.80 FEET;

THENCE N 04º 26' 57" E A DISTANCE OF 19.10 FEET;

THENCE N 48º 34' 27" W A DISTANCE OF 62.90 FEET;

THENCE S 50º 40' 52" W A DISTANCE OF 80.43 FEET;

THENCE N 63º 02' 45" W A DISTANCE OF 44.53 FEET;

THENCE N 89º 21' 00" W A DISTANCE OF 24.50 FEET;

THENCE S 01º 00' 02" W A DISTANCE OF 13.27 FEET TO THE POINT OF BEGINNING.

CONTAINING 18,683 SQ. FT., MORE OR LESS.

A PORTION OF THE SE 1/4 NE 1/4 SEC. 15 AND THE NE 1/4 SE 1/4 SEC. 15, TWP. 24 N., RGE. 4 E., W.M.

N

80 40 0 80 160

SCALE IN FEET

MARK H. KIMBOROWICZ
STATE OF WASHINGTON
38962
REGISTERED
PROFESSIONAL LAND SURVEYOR



SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=80'

City of Seattle
Seattle Public Utilities

PARTIAL TRANSFER OF JURISDICTION

FOR UNDERGROUND AND ABOVE GROUND UTILITIES

LAND DESCRIPTION

THAT PORTION OF THE SE QUARTER OF THE NE QUARTER AND THE NE QUARTER OF THE SE QUARTER OF SECTION 15, TOWNSHIP 24 NORTH, RANGE 4 EAST, W.M., UNDER THE JURISDICTION OF THE SEATTLE DEPARTMENT OF PARKS AND RECREATION AS GRANTED TO THE CITY OF SEATTLE FOR PARK, PARKWAY AND BOULEVARD PURPOSES PURSUANT TO ORDINANCES 26273, 29953, 29998 DESCRIBED AS FOLLOWS:

COMMENCING AT A CONCRETE MONUMENT IN A CASE AT THE INTERSECTION OF THE CENTERLINES OF 49TH AVENUE SOUTH AND SOUTH ANDOVER STREET; THENCE N 89º 00' 13" W ALONG THE CENTERLINE OF SOUTH ANDOVER STREET A DISTANCE OF 310.15 FEET TO A CONCRETE MONUMENT AT THE INTERSECTION OF 48TH AVE SOUTH; THENCE S 83º 31' 26" E A DISTANCE OF 208.22 FEET TO THE POINT OF BEGINNING;

THENCE N 41º 26' 22" E A DISTANCE OF 15.00 FEET;

THENCE N 48º 33' 38" W A DISTANCE OF 12.00 FEET;

THENCE S 41º 26' 22" W A DISTANCE OF 15.00 FEET;

THENCE S 48º 33' 38" E A DISTANCE OF 12.00 FEET TO THE POINT OF BEGINNING.

CONTAINING 180 SQ. FT., MORE OR LESS.

A PORTION OF THE SE 1/4 NE 1/4 SEC. 15 AND THE NE 1/4 SE 1/4 SEC. 15, TWP. 24 N., RGE. 4 E., W.M.

N

80 40 0 80 160

SCALE IN FEET

MARK H. KIMBOROWICZ
STATE OF WASHINGTON
38962
REGISTERED
PROFESSIONAL LAND SURVEYOR

12-12-12



SPU
DRAWN: MHK
CHECKED: GMG
SCALE: 1"=80'

City of Seattle
Seattle Public Utilities